


PARTS LIST		
DESCRIPTION	PART NUMBER	QTY
CONTROLLER BOX	DUO2.CAN	1
SENSOR OPTION LEFT	SENSOR OPTIONS	1
SENSOR OPTION RIGHT	SENSOR OPTIONS	1
JOYSTICK	A.RS.082 (Optional)	1
HYDRAULIC CABLE (5m)	A.RS.080	1
CAN CABLE (5m)	A.RS.110	3
CAN CABLE (2.5m)	A.RS.111	1
DUO2-IB.GNSS CORD (10m)	A.RS.127	1
INTERFACE BOX	IB.DUO2.CAN	1
POWER CABLE (6m)	A.RS.001.NC	1
GNSS INTERFACE BOX	IB.GNSS	1
HIRSCHMANN CONNECTORS	GDM 3009 BLACK (Optional)	2 or 4

**CAN CABLE OPTIONS**

A.R.S.111	(2.5m)
A.R.S.110	(5.0m)
A.R.S.107	(10.0m)
A.R.S.106	(CURLY CORD)
	1.7m un-streched
	8.5m stretched






OPTIONAL 8P - 8S  
CAN CORD ADAPTOR  
(P.CONN.018)  
for extending CAN cables

**LASER RECEIVER MODELS**

R.ULS.CAN
R.ULS.MM.CAN
R.ULS.MM.500
R.ULS.MM.1000

**ON ATTACHMENT**



RevNo	Revision note	Date	Signature	Checked	Tolerances	Path: X:\Graphical Work\Setup Diagrams\Setup diagrams CAN						
1	Rearranged to be consistent with the rest of the setup diagrams. Updated the template.	08/02/21	N.A.	D.R. & C.R.	Unless Stated: xx.x = +/- 0.1 xx.xx = +/- 0.05 xx.xxx = +/- 0.02	Material:	Drawn by:	Checked by:	Unit:	Finish:	Scale:	
						N.A.	D.R. & C.R.			08/02/21	NTS	
						 90 Willandra Drive, Epping, Victoria 3076 P: +61 3 9357 0055 Email: aumoba@moba.de www.moba-automation.com.au				Title:	Version:	Sheet:
						<b>SETUP DIAGRAM FOR DUO2 WITH HYDRAULIC BREAKAWAY JUNCTION BOX</b>					1	
						Drawing No:						